

IN THE SPECIFICATION

Please amend the paragraph on page 18 of the published PCT Application as follows:

D. D. Lee, H. S. Seung. Algorithms for non-negative matrix factorization ; P. Paatero, U. Tapper. Least squares formulation of robust non-negative factor analysis. Chemometr. Intell. Lab. 37 (1997), 23-35; P. Paatero. A weighted non-negative least squares algorithm for three-way 'PARAFAC' factor analysis. Chemometr. Intell. Lab. 38 (1997), 223-242; P. Paatero, P. K. Hopke, etc. Understanding and controlling rotations in factor analytic models. Chemometr. Intell. Lab. 60 (2002), 253-264; J. W. Demmel. Applied numerical linear algebra. Society for Industrial and Applied Mathematics, Philadelphia. 1997; S. Junto, P. Paatero. Analysis of daily precipitation data by positive matrix factorization. Environmetrics, 5 (1994), 127-144; P. Paatero, U. Tapper. Positive matrix factorization: a non-negative factor model with optimal utilization of error estimates of data values. Environmetrics, 5 (1994), 111-126; C. L. Lawson, R. J. Hanson. Solving least squares problems. Prentice-Hall, Englewood Cliffs, NJ, 1974; Algorithms for Non-negative Matrix Factorization, Daniel D. Lee, H. Sebastian Seung, pages 556-562, Advances in Neural Information Processing Systems 13, Papers from Neural Information Processing Systems (NIPS) 2000, Denver, CO, USA. MIT Press 2001; and Existing and New Algorithms for Non-negative Matrix Factorization By Wenguo Liu & Jianliang Yi (www.defl.gov/DCCL/rdwg/nmf.pdf; source code for the algorithms discussed therein can be found at http://www.cs.utexas.edu/users/liuwg/383CProject/CS_383C_Project.htm).